

2022 South Dakota Legislature

House Bill 1027

Introduced by: The Committee on Health and Human Services at the request of the Department of Health

- An Act to place certain substances on the controlled substances schedule and to declare an emergency.
- 3 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF SOUTH DAKOTA:
- 4 Section 1. That § 34-20B-12 be AMENDED:
 - **34-20B-12.** Any of the following substances, including their isomers, esters, ethers, salts, and salts of isomers, esters, and ethers, is included in Schedule I, unless specifically excepted, whenever the existence of such isomers, esters, ethers, and salts is possible within the specific chemical designation:
- 9 (1) Acetylmethadol;
- 10 (2) Allylprodine;

5

6

7

- 11 (3) Alphacetylmethadol, except levo-alphacetylmethadol, also known as levo-alpha-12 acetylmethadol, levomethadyl acetate or LAAM;
- 13 (4) Alphameprodine;
- 14 (5) Alphamethadol;
- 15 (6) Benzethidine;
- 16 (7) Betacetylmethadol;
- 17 (8) Betameprodine;
- 18 (9) Betamethadol;
- 19 (10) Betaprodine;
- 20 (11) Clonitazene;
- 21 (12) Dextromoramide;
- 22 (13) Diampromide;
- 23 (14) Diethyliambutene;
- 24 (15) Dimenoxadol;
- 25 (16) Dimepheptanol;
- 26 (17) Dimethyliambutene;

1 (18) Dioxaphetyl butyrate; 2 (19) Dipipanone; 3 (20) Ethylmethylthiambutene; 4 (21) Etonitazene; 5 (22) Etoxeridine; 6 (23) Furethidine; 7 (24) Hydroxypethidine; 8 (25) Ketobemidone; 9 (26) Levomoramide; 10 (27) Levophenacylmorphan; 11 (28) Mecloqualone; 12 (29) Morpheridine; 13 (30) Noracymethadol; 14 (31) Norlevorphanol; 15 (32) Normethadone; 16 (33) Norpipanone; 17 (34) Phenadoxone; 18 (35) Phenampromide; 19 (36) Phenomorphan; 20 (37) Phenoperidine; 21 (38) Piritramide; 22 (39) Proheptazine; 23 (40) Properidine; 24 (41) Racemoramide; 25 (42) Trimeperidine; 26 (43) Methagualone; 27 (44) N-benzylpiperazine; 28 (45) 4-chloro-N-[1-[2-(4-nitrophenyl)ethyl]-2-piperidinylidene]-benzenesulfonamide, 29 W-18; and 30 (46) N,N-diethyl-2-(2-(4 isopropoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-31 amine, also known as isotonitazene; 32 (47) 2-(2-(4-butoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine 33 (butonitazene); 34 (48) 2-(2-(4-ethoxybenzyl)-1H-benzimidazol-1-yl)-N,N-diethylethan-1-amine 35 (etodesnitazene, etazene);

1 N,N-diethyl-2-(2-(4-fluorobenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-amine) (49)2 (flunitazene); 3 (50) N,N-diethyl-2-(2-(4-methoxybenzyl)-1H-benzimidazol-1-yl)ethan-1-amine 4 (metodesnitazene); 5 (51)N,N-diethyl-2-(2-(4-methoxybenzyl)-5-nitro-1H-benzimidazol-1-yl)ethan-1-6 amine (metonitazene); 7 (52) 2-(4-ethoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1H-benzimidazole (N-8 pyrrolidino etonitazene, etonitazepyne); and 9 N,N-diethyl-2-(5-nitro-2-(4-propoxybenzyl)-1H-benzimidazol-1-yl)ethan-1-amine (53)10 (protonitazene). 11 Section 2. That § 34-20B-14 be AMENDED: 12 34-20B-14. Any material, compound, mixture, or preparation-which that contains 13 any quantity of the following hallucinogenic substances, their salts, isomers, and salts of 14 isomers, is included in Schedule I, unless specifically excepted, whenever the existence of 15 such salts, isomers, and salts of isomers is possible within the specific chemical 16 designation: 17 Bufotenine; (1)18 (2) Diethyltryptamine (DET); 19 (3) Dimethyltryptamine (DMT): 20 5-methoxy-N, N-Dimethyltryptamine (5-MeO-DMT); (4) 21 5-methoxy-3, 4-methylenedioxy amphetamine; (5) 22 4-bromo-2, 5-dimethoxyamphetamine; (6) 23 (7) 4-methoxyamphetamine; 24 (8) 4-methoxymethamphetamine; 25 4-methyl-2, 5-dimethoxyamphetamine; 26 (10) Hashish and hash oil; 27 (11) Ibogaine; 28 (12) Lysergic acid diethylamide; 29 (13) Mescaline; 30 (14) N-ethyl-3-piperidyl benzilate; 31 (15) N-methyl-3-piperidyl benzilate;

(16) 1-(-(2-thienyl)cyclohexyl) piperidine (TCP);

1 (17) Peyote, except that when used as a sacramental in services of the Native American 2 church in a natural state which is unaltered except for drying or curing and cutting 3 or slicing, it is hereby excepted; 4 (18) Psilocybin; (19) Psilocyn; 5 6 (20) Tetrahydrocannabinol, other than that which occurs in industrial hemp as defined 7 in § 38-35-1 or marijuana in its natural and unaltered state, including any 8 compound, except nabilone or compounds listed under a different schedule, 9 structurally derived from 6,6' dimethyl-benzo[c]chromene by substitution at the 3-position with either alkyl (C3 to C8), methyl cycloalkyl, or adamantyl groups, 10 11 whether or not the compound is further modified in any of the following ways: 12 (a) By partial to complete saturation of the C-ring; or 13 (b) By substitution at the 1-position with a hydroxyl or methoxy group; or 14 (c) By substitution at the 9-position with a hydroxyl, methyl, or methylhydoxyl 15 group; or 16 (d) By modification of the possible 3-alkyl group with a 1,1' dimethyl moiety, a 17 1,1' cyclic moiety, an internal methylene group, an internal acetylene 18 group, or a terminal halide, cyano, azido, or dimethylcarboxamido group. Some trade and other names: JWH-051; JWH-057; JWH-133; JWH-359; HHC; AM-19 20 087; AM-411; AM-855, AM-905; AM-906; AM-2389; HU-210; HU-211; HU-243; 21 HU-336; 22 (21) 3, 4, 5-trimethoxy amphetamine; 23 (22) 3, 4-methylenedioxy amphetamine; 24 (23) 3-methoxyamphetamine; 25 (24) 2, 5-dimethoxyamphetamine; 26 (25) 2-methoxyamphetamine; 27 (26) 2-methoxymethamphetamine; 28 (27) 3-methoxymethamphetamine; 29 (28) Phencyclidine; 30 (29) 3, 4-methylenedioxymethamphetamine (MDMA); 31 (30) 3, 4-methylenedioxy-N-ethylamphetamine; 32 (31) N-hydroxy-3, 4-methylenedioxyamphetamine; 33 (32) 4-methylaminorex (also known as 2-Amino-4-methyl/x-5-phenyl-2-oxazoline); 34 (33) 2,5 Dimethoxy-4-ethylamphetamine;

35

(34) N,N-Dimethylamphetamine;

- 1 (35) 1-(1-(2-thienyl)cyclohexyl)pyrrolidine;
 - (36) Aminorex;

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

- (37) <u>4,4'-Dimethylaminorex</u> (4,4'-DMAR; 4,5-dihydro-4-methyl-5-(4-methylphenyl)-2-oxazolamine; 4-methyl-5-(4-methylphenyl)-4,5-dihydro-1,3-oxazol-2-amine);
- (38) Cathinone and other variations, defined as any compound, material, mixture, preparation or other product unless listed in another schedule or an approved FDA drug (e.g. buproprion, pyrovalerone), structurally derived from 2-aminopropan-1-one by substitution at the 1-position with either phenyl, naphthyl, or thiophene ring systems, whether or not the compound is further modified in any of the following ways:
 - (a) By substitution in the ring system to any extent with alkyl, alkylenedioxy, alkoxy, haloalkyl, hydroxyl, or halide substituents, whether or not further substituted in the ring system by one or more other univalent substitutents;
 - (b) By substitution at the 3-position with an acyclic alkyl substituent;
 - (c) By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl, or methoxybenzyl groups or by inclusion of the 2-amino nitrogen atom in a cyclic structure.

Some trade or other names: methcathinone, 4-methyl-N-methylcathinone 3,4-methylenedioxy-N-methylcathinone (mephedrone); (methylone); 3,4methylenedioxypyrovalerone (MDPV); Naphthylpyrovalerone (naphyrone); 4flouromethcathinone (flephedrone); 4-methoxymethcathinone (methedrone; Bk-PMMA); Ethcathinone (N-Ethylcathinone); 3,4-methylenedioxyethcathinone (ethylone); Beta-keto-N-methyl-3,4-benzodioxyolybutanamine (butylone); N,Ndimethylcathinone (metamfepramone); Alpha-pyrrolidinopropiophenone (alpha-(MOPPP); PPP); 4-methoxy-alpha-pyrrolidinopropiophenone 3,4methylenedioxyalphapyrrolidinopropiophenone (MDPPP); Alphapyrrolidinovalerophenone (alpha-PVP); 3-fluoromethcathinone; 4'-Methyl-alphapyrrolidinobutiophenone (MPBP); Methyl-&agr;;-pyrrolindinopropiophenone (MPPP); Methyl-&agr;;-pyrrolidino-hexanophenone (MPHP); Buphedrone; Methyl-N-ethylcathinone; Pentedrone; Dimethylmethcathinone (DMMC); Dimethylethcathinone (DMEC); Methylenedioxymethcathinone (MDMC); Pentylone; Ethylethcathinone; Ethylmethcathinone; Fluoroethcathinone; methylalpha-pyrrolidinobutiophenone (MPBP); Methylecathinone (MEC); Methylenedioxyalpha-pyrrolidinobutiophenone (MDPBP); Methoxymethcathinone (MOMC); Methylbuphedrone (MBP); Benzedrone (4-MBC); Dibutylone (DMBDB);

22.324.13 6 299

```
1
                Dimethylone
                              (MDDMA);
                                           Diethylcathinone;
                                                               Eutylone
                                                                          (EBDB);
                                                                                     N-ethyl-N-
 2
                Methylcathinone;
                                         N-ethylbuphedrone,
                                                                     1-(1,3-benzodioxol-5-yl)2-
 3
                (ethylamino)pentan-1-one
                                                   (N-Ethylpentylone);
                                                                               4'-Methyl-alpha-
 4
                pyrrolidinopropiophenone
                                             (4-MEPPP,
                                                            MPPP
                                                                      or
                                                                            MaPPP);
                                                                                         alpha-
 5
                Pyrrolidinobutiophenone
                                                               1-(1,3-benzodioxol-5-yl)-2-(tert-
                                               (a; PBP);
 6
                butylamino)propan-1-one
                                                 (Tertylone);
                                                                    1-(1,3-benzodioxol-5-yl)-2-
 7
                (ethylamino)hexan-1-one
                                            (N-ethyl
                                                      Hexylone);
                                                                    1-(1,3-benzodioxol-5-yl)-2-
 8
                (methylamino)pntan-1-one (Pentylone);
 9
         (38)(39)
                     2,5-Dimethoxy-4-ethylamphetamine (DOET);
10
         (39)(40)
                     Alpha-ethyltryptamine;
11
                     4-Bromo-2,5-dimethoxy phenethylamine;
         (40)(41)
12
                     2,5-dimethoxy-4-(n)-propylthiophenethylamine (2C-T-7);
         (41)(42)
13
                     1-(3-trifluoromethylphenyl) piperazine (TFMPP);
         (42)(43)
14
         (43)(44)
                     Alpha-methyltryptamine (AMT);
15
         (44)(45)
                     5-methoxy-N,N-diisopropyltryptamine (5-MeO-DIPT);
16
                     5-methoxy-N,N-dimethyltryptamine (5-MeO-DMT);
         (45)(46)
17
         (46)(47)
                     Synthetic cannabinoids. Any material, compound, mixture, or preparation
18
                that is not listed as a controlled substance in another schedule, is not an FDA-
19
                approved drug, and contains any quantity of the following substances, their salts,
20
                isomers (whether optical, positional, or geometric), homologues, modifications of
21
                the indole ring by nitrogen heterocyclic analog substitution or nitrogen heterocyclic
22
                analog substitution of the phenyl, benzyl, naphthyl, adamantly, cyclopropyl, cumyl,
23
                or propional dehyde structure, and salts of isomers, homologues, and modifications,
```

24

25

26

27

28

29

30 31

32

33

34

(a) Naphthoylindoles. Any compound containing a 2-(1- naphthoyl)indole or 3-(1-naphthoyl)indole structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinhyl)methyl, 2-(4-morpholinyl)ethyl, cyanoalky, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, (tetrahydropyran-4-yl)methyl, benzyl, or halobenzyl group, whether or not further substituted on the indole ring to any extent and whether or not substituted on the naphthyl ring to any extent.

unless specifically excepted, whenever the existence of these salts, isomers,

homologues, modifications, and salts of isomers, homologues, and modifications is

possible within the specific chemical designation:

```
Some trade or other names: JWH-015; 1-pentyl-3-(1-naphthoyl)indole
 1
 2
                                1-hexyl-3-(1-naphthoyl)indole (JWH-019); 1-butyl-3-(1-
                    (JWH-018);
 3
                    naphthoyl)indole (JWH-073); 1-pentyl-3-[1-(4-methoxynaphthoyl)]indole
                    (JWH-081); 1-pentyl-3-(4-methyl-1-naphthoyl)indole (JWH-122); 1-[2-(4-
 4
 5
                    morpholinyl)ethyl]-3-(1-naphthoyl)indole (JWH-200); JWH-210; JWH-398;
 6
                    1-pentyl-3-(1-naphthoyl)indole
                                                    (AM-678);
                                                                 1-(5-fluoropentyl)-3-(1-
 7
                    naphthoyl)indole (AM-2201); WIN 55-212; JWH-004; JWH-007; JWH-009;
 8
                    JWH-011; JWH-016; JWH-020; JWH-022; JWH-046; JWH-047; JWH-048;
9
                    JWH-049; JWH-050; JWH-070; JWH-071; JWH-072; JWH-076; JWH-079;
10
                    JWH-080; JWH-082; JWH-094; JWH-096; JWH-098; JWH-116; JWH-120;
11
                    JWH-148; JWH-149; JWH-164; JWH-166; JWH-180; JWH-181; JWH-182;
12
                    JWH-189; JWH-193; JWH-198; JWH-211; JWH-212; JWH-213; JWH-234;
13
                    JWH-235; JWH-236; JWH-239; JWH-240; JWH-241; JWH-258; JWH-262;
14
                    JWH-386; JWH-387; JWH-394; JWH-395; JWH-397; JWH-399; JWH-400;
15
                    JWH-412; JWH-413; JWH-414; JWH-415; JWH-424; AM-678; AM-1220;
16
                    AM-1221; AM-1235; AM-2232, THJ-2201;
17
               (b) Naphthylmethylindoles. Any compound containing a 1H-indol-2-yl-(1-
```

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

(b) Naphthylmethylindoles. Any compound containing a 1H-indol-2-yl-(1-naphthyl)methane or 1H-indol-3-yl-(1-naphthyl)methane structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, cyanoalky, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, (tetrahydropyran-4-yl)methyl, benzyl, or halobenzyl group, whether or not further substituted on the indole ring to any extent and whether or not substituted on the naphthyl ring to any extent.

Some trade or other names: JWH-175; JWH-184; JWH-185; JWH-192; JWH-194; JWH-195; JWH-196; JWH-197; JWH-199;

(c) Phenylacetylindoles. Any compound containing a 2-phenylacetylindole or 3-phenylacetylindole structure with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, cyanoalky, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, (tetrahydropyran-4-yl)methyl, benzyl, or halobenzyl group, whether or not further substituted on the indole ring to any extent and whether or not substituted on the phenyl ring to any extent.

22.324.13 8 299

other

names:

1-cyc

lohexylethyl-3-(2-

1

Some

trade

or

```
2
                      methoxyphenylacetyl)indole
                                                       (SR-18);
                                                                      1-cyclohexylethyl-3-(2-
 3
                      methoxyphenylacetyl)indole
                                                           (RCS-8);
                                                                              1-pentyl-3-(2-
 4
                      methoxyphenylacetyl)indole
                                                         (JWH-250);
                                                                              1-pentyl-3-(2-
 5
                      chlorophenylacetyl)indole (JWH-203); JWH-167; JWH-201; JWH-202; JWH-
                      204; JWH-205; JWH-206; JWH-207; JWH-208; JWH-209; JWH-237; JWH-
 6
 7
                      248; JWH-249; JWH-251; JWH-253; JWH-302; JWH-303; JWH-304; JWH-
 8
                      305; JWH-306; JWH-311; JWH-312; JWH-313; JWH-314; JWH-315; JWH-
9
                      316; Cannabipiperidiethanone;
10
                (d) Benzoylindoles. Any compound containing a 2-(benzoyl)indole or 3-
11
                      (benzoyl)indole structure with substitution at the nitrogen atom of the
12
                      indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,
13
                      1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, cyanoalky, 1-
14
                      (N-methyl-2-pyrrolidinyl)methyl,
                                                          1-(N-methyl-3-morpholinyl)methyl,
15
                      (tetrahydropyran-4-yl)methyl, benzyl, or halobenzyl group, whether or not
16
                      further substituted on the indole ring to any extent and whether or not
17
                      substituted on the phenyl ring to any extent.
                      Some trade or other names: 1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole
18
19
                      (AM-694); 1-pentyl-3-[(4-methoxy)-benzoyl]indole (SR-19); Pravadoline
20
                      (WIN 48,098); 1-pentyl-3-[(4-methoxy)-benzoyl]indole (RCS-4); AM-630;
21
                      AM-661; AM-2233; AM-1241;
22
                (e) Naphthoylpyrroles. Any compound containing a 2-(1-naphthoyl)pyrrole or 3-
23
                      (1-naphthoyl)pyrrole structure with substitution at the nitrogen atom of the
24
                                                      haloalkyl,
                              ring
                                     by
                                          an alkyl,
                                                                 alkenyl,
                                                                           cycloalkylmethyl,
25
                      cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl,
26
                                      1-(N-methyl-2-pyrrolidinyl)methyl,
                      cyanoalky,
                                                                             1-(N-methyl-3-
27
                      morpholinyl)methyl, (tetrahydropyran-4-yl)methyl, benzyl, or halobenzyl
28
                      group, whether or not further substituted on the pyrrole ring to any extent
29
                      and whether or not substituted on the naphthyl ring to any extent.
30
                      Some trade or other names: JWH-307; JWH-030; JWH-031; JWH-145;
                      JWH-146; JWH-147; JWH-150; JWH-156; JWH-242; JWH-243; JWH-244;
31
32
                      JWH-245; JWH-246; JWH-292; JWH-293; JWH-308; JWH-309; JWH-346;
33
                      JWH-348; JWH-363; JWH-364; JWH-365; JWH-367; JWH-368; JWH-369;
34
                      JWH-370; JWH-371; JWH-373; JWH-392;
```

1 Naphthylmethylindenes. Any compound containing a naphthylideneindene 2 structure with substitution at the 3-position of the indene ring by an alkyl, 3 haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 4 piperidinyl)methyl, 2-(4-morpholinyl)ethyl, cyanoalky, 1-(N-methyl-2-5 pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, (tetrahydropyran-6 4-yl)methyl, benzyl, or halobenzyl group, whether or not further substituted 7 on the indene ring to any extent and whether or not substituted on the 8 naphthyl ring to any extent. 9 Some trade or other names: JWH-171; JWH-176; JWH-220; 10 (g) Cyclohexylphenols. Any compound containing 11 hydroxycyclohexyl)phenol structure with substitution at the 5-position of 12 the phenolic ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, 13 cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 14 morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 15 morpholinyl)methyl, (tetrahydropyran-4-yl)methyl, benzyl, or halobenzyl 16 group, whether or not substituted on the cyclohexyl ring to any extent. 17 Some trade or other names: 5-(1,1-dimethylheptyl)-2-[(1R,3S)-3hydroxycyclohexyl]-phenol (CP 47, 497 and homologues, which includes 18 19 C8); cannabicyclohexanol; CP-55,490; CP-55,940; CP-56,667; 20 (h) (6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl) 21 6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol. Some trade or other names: 22 HU-210; 23 (i) 2,3-Dihydro-5-methyl-3-(4-m orpholinylmethyl)pyrrolo[1,2,3-de]-1,4-24 benzoxazin-6-yl]-1-napthalenyl. Some trade or other names: WIN 55, 212-25 2; 26 (j) Substituted Acetylindoles. Any compound containing a 2-acetyl indole or 3-27 acetyl indole structure substituted at the acetyl by replacement of the 28 methyl group with a tetramethylcyclopropyl, adamantyl, benzyl, cumyl, or 29 propionaldehyde substituent whether or not further substituted on the 30 tetramethylcyclopropyl, adamantyl, benzyl, cumyl, or propionaldehyde 31 substituent to any extent and whether or not further substituted at the 32 nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, 33 cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4morpholinyl)ethyl, 34 1-(N-methyl-2-pyrrolidinyl)methyl,

1-(N-methyl-3-

1-(N-methyl-2-

а

or

1-(N-methyl-3-

2-(3-

2-(4-

1 morpholinyl)methyl, (tetrahydropyran-4-yl)methyl, benzyl, or halobenzyl 2 group whether or not further substituted on the indole ring to any extent. 3 Some trade and (1-Pentylindol-3-yl)-(2,2,3,3or names: 4 tetramethylcyclopropyl)methanone (UR-144); (1-(5-fluoropentyl)indol-3-5 yl)-(2,2,3,3-tetramethylcyclopropyl)methanone (XLR-11); (1-(2-6 morpholin-4-ylethyl)-1H-indol-3-yl)-(2,2,3,3-7 tetramethylcyclopropyl)methanone (A-796,260); 1-[(N-methylpiperidin-2-8 yl)methyl]-3-(adamant-1-oyl)indole (AM-1248); 1-Pentyl-3-(1-9 adamantoyl)indole (AB-001 and JWH-018 adamantyl analog); AM-679; 10 (k) Substituted Carboxamide Indole. Any compound containing a 2-carboxamide 11 indole or 3-carboxamide indole structure substituted at the nitrogen of the 12 carboxamide with a tetramethylcyclopropyl, naphthyl, adamantyl, cumyl, 13 phenyl, or propionaldehyde substituent, whether or not further substituted 14 on the tetramethylcyclopropyl, adamantyl, cumyl, naphthyl, phenyl, or 15 propionaldehyde substituent to any extent and whether or not further 16 substituted at the nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-17 18 piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-19 pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, (tetrahydropyran-20 4-yl)methyl, benzyl, or halobenzyl group whether or not further substituted 21 on the indole ring to any extent. 22 Some trade and other names: JWH-018 adamantyl carboxamide; STS-135; 23 MN-18; 5-Fluoro-MN-18, 1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-24 pyrrolo[2,3-b]pyridine-3-carboxamide (5F-CUMYL-P7AICA) N-25 (Adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide (5F-26 APINACA); methyl (2R)-2-[[1-(5-fluoropentyl)indazole-3-carbonyl]amino]-27 3,3-dimethylbutanoate (5F-ADB); N-(1-amino-3-methyl-1-oxobutan-2-yl)-28 1-(cyclohexylmethyl)indazole-3-carboxamide (AB-CHMINACA); 1-(4-29 cyanobutyl)-N-(2-phenylpropan-2-yl)-1H-indazole-3-carboxamide (4-CN-30 CUMYL-BUTINACA); N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(cyclohexylmethyl)indazole-3-carboxamide (ADB-CHMINACA or MAB-31 32 CHMINACA); methyl (2S)-2-[[1-[4-fluorophenyl)methyl]indazole-3-33 carbonyl]amino]-3,3-dimethylbutanoate (MDMB-FUBINACA); methyl 2-(1-34 (cyclohexylmethyl)-1H-indole-3-carboxamido)-3-methylbutanoate (MMB-35 CHMICA); (2S)-2-[[1-[4-fluorophenyl)methyl]indazole-3methyl

```
carbonyl]amino]-3-methylbutanoate (AMB-FUBINACA); Methyl 2-(1-(5-
 1
 2
                      fluoropentyl)-1H-indazole-3-carboxamido)-3-methylbutanoate (5F-AMB);
 3
                      methyl
                                             2-(1-(5-fluoropentyl-1Hindole-3-carboxamido)-3,3-
                      dimethylbutaoate (5F-MDMB-PICA); methyl (S)-3,3-dimethyl-2-[(1-(pent-
 4
 5
                      4-enlindazole-3-carbonyl)amino]butanoate (MDMB-4en-PINACA); methyl
 6
                      2-(1-(4-fluorobutyl)-1H-indazole-3carboxamido)-3,3-dimethylbutanoate
 7
                      (4F-MDMB-BUTINACA);
 8
                (I) Substituted Carboxylic Acid Indole. Any compound containing a 1H-indole-2-
9
                      carboxylic acid or 1H-indole-3-carboxylic acid substituted at the hydroxyl
10
                      group of the carboxylic acid with a phenyl, benzyl, naphthyl, adamantyl,
11
                      cyclopropyl, quinolinyl, isquinolinyl, cumyl, or propionaldehyde substituent
12
                      whether or not further substituted on the phenyl, benzyl, naphthyl,
13
                      adamantyl, cyclopropyl, cumyl, quinolinyl, isquinolinyl, or propionaldehyde
14
                      substituent to any extent and whether or not further substituted at the
15
                      nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl,
16
                      cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-
17
                      morpholinyl)ethyl,
                                           1-(N-methyl-2-pyrrolidinyl)methyl,
18
                      morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo benzyl group
19
                      whether or not further substituted on the indole ring to any extent.
20
                      Some trade and other names: Naphthalen-1-yl 1-(5-fluoropntyl)-1H-indole-
21
                      3-carboxylate (NM2201);
22
         (47)(48)
                     6,7-dihydro-5H-indeno-(5,6-d)-1,3-dioxol-6-amine) (MDAI);
23
                     2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (2C-E);
         (48)(49)
24
         (49)(50)
                     2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (2C-D);
25
                     2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (2C-C);
         (50)(51)
26
                     2-(4-Iodo-2,5-dimethoxyphenyl)ethanamine (2C-I);
         <del>(51)</del>(52)
27
         (52)(53)
                     2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-2);
28
                     2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-4);
         (53)(54)
29
         (54)(55)
                     2-(2,5-Dimethoxyphenyl)ethanamine (2C-H);
30
         (55)(56)
                     2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (2C-N);
31
         (56)(57)
                     2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (2C-P);
32
                     Substituted phenethylamine. Any compound, unless specifically exempt,
         (57)(58)
33
               listed as a controlled substance in another schedule or an approved FDA drug,
34
               structurally derived from phenylethan-2-amine by substitution on the phenyl ring
35
               in any of the following ways, that is to say--by substitution with a fused
```

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18 19

20

21

22

23

24

25

26

27

28

29

30

31 32

33

34

35

methylenedioxy, fused furan, or fused tetrahydrofuran ring system; by substitution with two alkoxy groups; by substitution with one alkoxy and either one fused furan, tetrahydrofuran, or tetrahydropyran ring system; by substitution with two fused ring systems from any combination of the furan, tetrahydrofuran, or tetrahydropyran ring systems; whether or not the compound is further modified in any of the following ways:

- (a) By substitution on the phenyl ring by any halo, hydroxyl, alkyl, trifluoromethyl, alkoxy, or alkylthio groups;
- (b) By substitution on the 2-position by any alkyl groups; or
- (c) By substitution on the 2-amino nitrogen atom with acetyl, alkyl, dialkyl, benzyl, methoxybenzyl, or hydroxybenzyl groups.

Some 2-(2,5-dimethoxy-4trade and other names: (methylthio)phenyl)ethanamine (2C-T 4-methylthio-2,5or dimethoxyphenethylamine); 1-(2,5-dimethoxy-4-iodophenyl)-propan-2-amine (DOI) 5-Dimethoxy-4-iodoamphetamine); 1-(4-Bromo-2,5dimethoxyphenyl)-2-aminopropane (DOB 2,5-Dimethoxy-4or bromoamphetamine); 1-(4-chloro-2,5-dimethoxy-phenyl)propan-2-amine (DOC or 2,5-Dimethoxy-4-chloroamphetamine); 2-(4-bromo-2,5-dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine (2C-B-NBOMe; 25B-NBOMe or 2,5-Dimethoxy-4-bromo-N-(2-methoxybenzyl)phenethylamine); 2-4-iodo-2,5dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine (2C-I-NBOMe; 25I-NBOMe or 2,5-Dimethoxy-4-iodo-N-(2-methoxybenzyl)phenethylamine); N-(2-Methoxybenzyl)-2-(3,4,5-trimethoxypheny (Mescaline-NBOMe or 3,4,5trimethoxy-(2-methoxybenzyl)phenethylamine); 2-(4-chloro-2,5dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine (2C-C-NBOMe; 25C-NBOMe or 2,5-Dimethoxy-4-chloro-N-(2-methoxybenzyl)phenethylamine); 2-(7-Bromo-5-methoxy-2,3-dihydro-1-benzofuran-4-yl)ethanamine (2CB-5-hemiFLY); 2-(8-bromo-2,3,6,7-tetrahydrofuro [2,3-f][1]benzofuran-4-yl)ethanamine (2C-B-FLY); 2-(10-Bromo-2,3,4,7,8,9-hexahydropyrano[2,3-g]chromen-5yl)ethanamine (2C-B-butterFLY); -(2-Methoxybenzyl)-1-(8-bromo-2,3,6,7tetrahydrobenzo[1,2-b:4,5-b']difuran-4-yl)-2-aminoethane (2C-B-FLY-NBOMe); 1-(4-Bromofuro[2,3-f][1]benzofuran-8-yl)propan-2-amine (bromobenzodifuranyl-isopropylamine or bromo-dragonFLY); -(2-Hydroxybenzyl)-4-iodo-2,5-dimethoxyphenethylamine 25I-NBOH); (2C-I-NBOH or 5-(2-Aminoprpyl)benzofuran (5-APB); 6(2-Aminopropyl)benzofuran (6-APB); 5-(222.324.13 13 299

```
1
                Aminopropyl)-2,3-dihydrobenzofuran
                                                          (5-APDB);
                                                                         6-(2-Aminopropyl)-2,3,-
 2
                dihydrobenzofuran (6-APDB);
 3
          <del>(58)</del>(59)
                     Substituted tryptamines. Any compound, unless specifically exempt, listed as
 4
                a controlled substance in another schedule or an approved FDA drug, structurally
 5
                derived from 2-(1H-indol-3-yl)ethanamine (i.e, tryptamine) by mono- or di-
 6
                substitution of the amine nitrogen with alkyl or alkenyl groups or by inclusion of
 7
                the amino nitrogen atom in a cyclic structure whether or not the compound is
 8
                further substituted at the alpha-position with an alkyl group or whether or not
 9
                further substituted on the indole ring to any extent with any alkyl, alkoxy, halo,
10
                hydroxyl, or acetoxy groups.
11
                Some trade and other names: 5-methoxy-N,N-diallyltryptamine (5-MeO-DALT); 4-
12
                acetoxy-N,N-dimethyltryptamine (4-AcO-DMT or O-Acetylpsilocin); 4-hydroxy-N-
13
                methyl-N-ethyltryptamine (4-HO-MET); 4-hydroxy-N,N-diisopropyltryptamine (4-
14
                HO-DIPT); 5-methoxy-N-methyl-N-isopropyltryptamine (5-MeO-MiPT);
15
          (59)(60)
                     Naphthalen-1-yl-(4-pentyloxynaphthalen-1-yl)methanone (CB-13);
16
          (60)(61)
                     N-Adamantyl-1-pentyl-1H-Indazole-3-carboxamide (AKB 48);
17
          \frac{(61)}{(62)}
                     1-(4-Fluorophenyl)piperazine (pFPP);
18
                     1-(3-Chlorophenyl)piperazine (mCPP);
          \frac{(62)}{(63)}
19
                     1-(4-Methoxyphenyl)piperazine (pMeOPP);
          <del>(63)</del>(64)
20
                     1,4-Dibenzylpiperazine (DBP);
          (64)(65)
21
          (65)(66)
                     Isopentedrone;
22
          \frac{(66)(67)}{(67)}
                     Fluoromethamphetamine;
23
                     Fluoroamphetamine;
          (67)(68)
24
          <del>(68)</del>(69)
                     Fluorococaine;
25
                     1-pentyl-8-quinolinyl ester-1H-indole-3-carboxylic acid (PB-22);
          (69)(70)
26
                     1-(5-fluoropentyl)-8-quinolinyl ester-1H-indole-3-carboxylic acid (5 Fluoro-
          (70)(71)
27
                PB-22);
28
          \frac{(71)}{(72)}
                     N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-pentyl-1H-indazole-3-
29
                carboxamide (AB-PINACA);
30
          (72)(73)
                     N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-3-
                carboxamide (5 Fluoro-AB-PINACA);
31
32
                     N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indazole-3-
          (73)(74)
33
                carboxamide (AB-FUBINACA);
34
                     N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-pentyl-1H-indole-3-
          \frac{(74)}{(75)}
35
                carboxamide (ADB-PINACA (ADBICA));
```

1 (75)(76) N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indole-32 carboxamide (5 Fluoro-ADB-PINACA (5 Fluoro-ADBICA)); and
3 (76)(77) N-(1-Amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indazole4 3-carboxamide (ADB-FUBINACA); and
5 (78) N-(1-carbamoyl-2-methyl-propyl)-2-(5-fluoropentyl)-5-(4-fluorophenyl)pyrazole6 3-carboxamide (5-Fluoro-3,5-AB-PFUPPYCA).

Section 3. That § 34-20B-16 be AMENDED:

- **34-20B-16.** Any of the following substances, including their salts, isomers, and salts of isomers, is included in Schedule II except those narcotic drugs listed in other schedules, whether produced directly or indirectly by extraction from substances of vegetable origin, independently by means of chemical synthesis, or by a combination of extraction and chemical synthesis:
- (1) Opium (except when it meets the requirements of subdivision 34-20B-23(7) or 34-20B-26(5)), coca leaves, and opiate;
- (2) Any salt, compound, derivative, or preparation of opium, coca leaves (including cocaine), or opiate, excluding apomorphine, dextrorphan, naloxone, naloxegol, naldemedine, nalbuphine, nalmefene, naltrexone, and 6β-naltrexol, and samidorphan;
- (3) Any salt, compound, derivative, or preparation thereof that is chemically equivalent or identical with any of the substances referred to in subdivisions (1) and (2), except that these substances may not include decocainized coca leaves or extraction of coca leaves, which extractions do not contain cocaine or ecgonine; and may not include the isoquinoline alkaloids of opium;
- (4) Opium poppy and poppy straw;
- 25 (5) Amphetamine;

7

8

9

10

11

12

13

14

15

16

17

18

19 20

21

22

23

- 26 (6) Methamphetamine;
- 27 (7) Amobarbital;
- 28 (8) Pentobarbital;
- 29 (9) Secobarbital;
- 30 (10) Methylphenidate;
- 31 (11) Phenmetrazine;
- 32 (12) Etorphine;
- 33 (13) Diprenorphine;
- 34 (14) Deleted by SL 2000, ch 170, § 1;

1 (15) Nabilone; 2 (16) Glutethimide; 3 (17) Phencyclidine immediate precursors: 4 (a) 1-phenylcyclohexylamine; 5 (b) 1-piperidinocyclohexanecarbonitrile (PCC); 6 (18) Lisdexamfetamine, its salts, isomers, and salts of its isomers; 7 (19) Tapentadol; and 8 (20) Dronabinol [(-)-delta-9-trans tetrahydrocannabinol] in an oral solution in a drug 9 product approved for marketing by the United States Food and Drug 10 Administration. 11 Section 4. That § 34-20B-25 be AMENDED: 12 **34-20B-25.** The following are included in Schedule IV: 13 Chlordiazepoxide, but not including librax (chlordiazepoxide hydrochloride and (1) 14 clindinium bromide) or menrium (chlordiazepoxide and water soluble esterified 15 estrogens); 16 (2) Clonazepam; 17 (3) Clorazepate; 18 (4) Diazepam; 19 (4A)(5)Flunitrazepam; (5)(6) Flurazepam; 20 21 (6)(7) Mebutamate; 22 (7)(8) Oxazepam; 23 (8)(9) Prazepam; 24 (9)(10)Lorazepam; 25 $\frac{(10)}{(11)}$ Triazolam; 26 Any substance which contains any quantity of a benzodiazepine, or salt of $\frac{(11)}{(12)}$ 27 benzodiazepine, except substances which are specifically listed in other schedules; 28 (11A)(13) Alprazolam; 29 (11B)(14) Midazolam; 30 (11C)(15) Temazepam;(12) Repealed by SL 2003, ch 183, § 4; 31 $\frac{(13)}{(16)}$ Cathine; 32 $\frac{(14)}{(17)}$ Fencamfamine;

33

34

 $\frac{(15)(18)}{(18)}$

(16)(19)

Fenproporex;

Mefenorex;

```
1
          \frac{(17)}{(20)}
                       Pyrovalerone;
 2
          \frac{(18)}{(21)}
                       Propoxyphene;
 3
                       Pentazocine;
          (19)(22)
 4
          (20)(23)
                       Diethylpropion;
 5
                       Ethchlorvynol;
          \frac{(21)}{(24)}
 6
          \frac{(22)}{(25)}
                       Ethinamate;
 7
          \frac{(23)}{(26)}
                       Fenfluramine;
 8
          \frac{(24)}{(27)}
                       Mazindol;
 9
          \frac{(25)}{(28)}
                       Mephobarbital;
10
          (26)(29)
                       Methohexitol;
11
                       Paraldehyde;
          \frac{(27)}{(30)}
12
          \frac{(28)(31)}{(31)}
                       Pemoline;
13
                       Petrichloral;
          (29)(32)
14
                       Phentermine;
          (30)(33)
15
          <del>(31)</del>(34)
                       Barbital;
16
                       Phenobarbital;
          (32)(35)
17
          (33)(36)
                       Meprobamate;
18
          <del>(34)</del>(37)
                       Zolpidem;
19
                       Butorphanol;
          (35)(38)
20
                       Modafinil, including its salts, isomers, and salts of isomers;
          <del>(36)</del>(39)
21
          (37)(40)
                       Sibutramine;
22
          (38)(41)
                       Zaleplon;
23
          (39)(42)
                       Dichloralphenazone;
24
                       Zopiclone (also known as eszopiclone), including its salts, isomers, and salts
          (40)(43)
25
                  of isomers;
26
                       Pregabalin;
          (41)(44)
27
          (42)(45)
                       Lacosamide;
28
          (43)(46)
                       Fospropofol, including its salts, isomers, and salts of isomers;
29
          (44)(47)
                       Clobazam;
30
          (45)(48)
                       Carisoprodol, including its salts, isomers, and salts of isomers;
31
          (46)(49)
                       Ezogabine,[-[2-amino-4-(4-fluorobenzylamino)-phenyl]-carbamic acid ethyl
32
                  ester], including its salts, isomers, and salts of isomers;
33
          (47)(50)
                       Lorcaserin, any material, compound, mixture, or preparation which contains
34
                  any quantity of the following substances, including its salts, isomers, and salts of
```

| 1 | isomers, whenever the existence of such salts, isomers, and salts of isomers is | |
|----|--|---|
| 2 | possible; | |
| 3 | (48) (51) | Alfaxalone, 5[alpha]-pregnan-3[alpha]-ol-11,20-dione, including its salts, |
| 4 | ison | ners, and salts of isomers; |
| 5 | (49) (52) | Tramadol, 2-[(dimethylamino)methyl]-1-(3-methoxyphenyl)cyclohexanol, |
| 6 | its s | alts, optical and geometric isomers and salts of these isomers; |
| 7 | (50) (53) | Suvorexant, including its salts, isomers, and salts of isomers; |
| 8 | (51) (54) | Eluxadoline,(5-[[[(2S)-2-amino-3-[4-aminocarbonyl)-2,6-dimethylphenyl]- |
| 9 | 1-0> | copropyl][(1S)-1-(4-phenyl-1H-imidazol-2-yl)ethyl]amino]methyl]-2- |
| 10 | methoxybenzoic acid) including its optical isomers and its salts, isomers, and salts | |
| 11 | of isomers; | |
| 12 | (52) (55) | Brivaracetam; |
| 13 | (53) (<u>56)</u> | Solriamfetol (2-amino-3-phenylpropyl carbamate; benzenepropanol, beta- |
| 14 | amino-, carbamate (ester)), including its salts, isomers, and salts of isomers | |
| 15 | whe | never the existence of the salts, isomers, and salts of isomers is possible; |
| 16 | (54) (<u>57)</u> | Brexanolone, (3[alpha]-hydroxy-5[alpha]-pregnan-20-one), including its |
| 17 | salts, isomers, and salts of isomers whenever the existence of the salts, isomers, | |
| 18 | and | salts of isomers is possible; |
| 19 | (55) (<u>58)</u> | Cenobamate ([(1R)-1-(2-chlorophenyl)-2-(tetrazol-2-yl)ethyl] carbamate; |
| 20 | 2H-tetrazole-2-ethanol, alpha-(2-chlorophenyl)-, carbamate (ester), (alphaR)-; | |
| 21 | carb | pamic acid (R)-(+)-1-(2-chlorophenyl)-2-(2H-tetrazol-2-yl)ethyl ester); |
| 22 | (56) (<u>59)</u> | Lasmiditan [2,4,6-trifluoro-N-(6-(1-methylpiperidine-4-carbonyl)pyridine-2- |
| 23 | yI)-l | benzamide]; |
| 24 | (57) (60) | Lemborexant, including its salts, isomers, and salts of isomers; and |
| 25 | (58) (61) | Remimazolam <u>, and</u> |
| 26 | (62) Serdexmethylphenidate. | |
| 27 | Section 5. Wh | nereas, this Act is necessary for the immediate preservation of the public peace, |
| 28 | health, or safe | ty, an emergency is hereby declared to exist, and this Act shall be in full force |

and effect from and after its passage and approval.