



2026 South Dakota Legislature

House Bill 1099

Introduced by: **Representative** Rehfeldt

1 **An Act to reschedule the pharmaceutical composition of crystalline polymorph**
 2 **psilocybin in a drug product approved by the Food and Drug Administration**
 3 **as a Schedule IV controlled substance.**

4 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF SOUTH DAKOTA:

5 **Section 1. That § 34-20B-14 be AMENDED:**

6 **34-20B-14.** Any material, compound, mixture, or preparation that contains any
 7 quantity of the following hallucinogenic substances, their salts, isomers, and salts of
 8 isomers, is included in Schedule I, unless specifically excepted, whenever the existence of
 9 such the salts, isomers, and salts of isomers is possible within the specific chemical
 10 designation:

- 11 (1) Bufotenine;
- 12 (2) Diethyltryptamine (DET);
- 13 (3) Dimethyltryptamine (DMT);
- 14 (4) 5-methoxy-N, N-Dimethyltryptamine (5-MeO-DMT);
- 15 (5) 5-methoxy-3, 4-methylenedioxy amphetamine;
- 16 (6) 4-bromo-2, 5-dimethoxyamphetamine;
- 17 (7) 4-methoxyamphetamine;
- 18 (8) 4-methoxymethamphetamine;
- 19 (9) 4-methyl-2, 5-dimethoxyamphetamine;
- 20 (10) Hashish and hash oil;
- 21 (11) Ibogaine;
- 22 (12) Lysergic acid diethylamide;
- 23 (13) Mescaline;
- 24 (14) N-ethyl-3-piperidyl benzilate;
- 25 (15) N-methyl-3-piperidyl benzilate;
- 26 (16) 1-(-(2-thienyl)cyclohexyl) piperidine (TCP);

- 1 (17) ~~Peyote, except that~~ when used as a sacramental in services of the Native American
2 church, ~~in a natural state which that~~ is unaltered, except for drying or curing and
3 cutting or slicing, ~~it is hereby excepted~~;
- 4 (18) Psilocybin, except the pharmaceutical composition of crystalline polymorph
5 psilocybin in a drug product approved by the United States Food and Drug
6 Administration;
- 7 (19) Psilocyn;
- 8 (20) Tetrahydrocannabinol, except that which occurs in industrial hemp as defined in
9 § 38-35-1; in a drug product approved by the United States Food and Drug
10 Administration; or marijuana in its natural and unaltered state; including any
11 compound, except nabilone or compounds listed under a different schedule,
12 structurally derived from 6,6N dimethyl-benzo[c]chromene by substitution at the
13 3-position with either alkyl (C3 to C8), methyl cycloalkyl, or adamantyl groups,
14 whether or not the compound is further modified in any of the following ways:
15 (a) By partial to complete saturation of the C-ring; or
16 (b) By substitution at the 1-position with a hydroxyl or methoxy group; or
17 (c) By substitution at the 9-position with a hydroxyl, methyl, or methylhydroxyl
18 group; or
19 (d) By modification of the possible 3-alkyl group with a 1,1N dimethyl moiety, a
20 1,1N cyclic moiety, an internal methylene group, an internal acetylene
21 group, or a terminal halide, cyano, azido, or dimethylcarboxamido group.
22 Some trade and other names: JWH-051; JWH-057; JWH-133; JWH-359; HHC; AM-
23 087; AM-411; AM-855, AM-905; AM-906; AM-2389; HU-210; HU-211; HU-243;
24 HU-336;
- 25 (21) 3, 4, 5-trimethoxy amphetamine;
- 26 (22) 3, 4-methylenedioxy amphetamine;
- 27 (23) 3-methoxyamphetamine;
- 28 (24) 2, 5-dimethoxyamphetamine;
- 29 (25) 2-methoxyamphetamine;
- 30 (26) 2-methoxymethamphetamine;
- 31 (27) 3-methoxymethamphetamine;
- 32 (28) Phencyclidine;
- 33 (29) 3, 4-methylenedioxymethamphetamine (MDMA);
- 34 (30) 3, 4-methylenedioxy-N-ethylamphetamine;
- 35 (31) N-hydroxy-3, 4-methylenedioxyamphetamine;

- 1 (32) 4-methylaminorex (also known as 2-Amino-4-methyl/x-5-phenyl-2-oxazoline);
2 (33) 2,5 Dimethoxy-4-ethylamphetamine;
3 (34) N,N-Dimethylamphetamine;
4 (35) 1-(1-(2-thienyl)cyclohexyl)pyrrolidine;
5 (36) Aminorex;
6 (37) 4,4'-Dimethylaminorex (4,4'-DMAR; 4,5-dihydro-4-methyl-5-(4-methylphenyl)-2-
7 oxazolamine; 4-methyl-5-(4-methylphenyl)-4,5-dihydro-1,3-oxazol-2-amine);
8 (38) Cathinone and other variations, defined as any compound, material, mixture,
9 preparation or other product unless listed in another schedule or an approved FDA
10 drug, structurally derived from 2-aminopropan-1-one by substitution at the 1-
11 position with either phenyl, naphthyl, or thiophene ring systems, whether or not
12 the compound is further modified in any of the following ways:
13 (a) By substitution in the ring system to any extent with alkyl, alkylendioxy,
14 alkoxy, haloalkyl, hydroxyl, or halide substituents, whether or not further
15 substituted in the ring system by one or more other univalent substituents;
16 (b) By substitution at the 3-position with an acyclic alkyl substituent; or
17 (c) By substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl, or
18 methoxybenzyl groups or by inclusion of the 2-amino nitrogen atom in a
19 cyclic structure.

20 Some trade or other names: methcathinone, 4-methyl-N-methylcathinone
21 (mephedrone); 3,4-methylenedioxy-N-methylcathinone (methydone); 3,4-
22 methylenedioxypropylvalerone (MDPV); Naphthylpropylvalerone (naphyrone); 4-
23 fluoromethcathinone (flephedrone); 4-methoxymethcathinone (methedrone; Bk-
24 PMMA); Ethcathinone (N-Ethylcathinone); 3,4-methylenedioxyethcathinone
25 (ethylone); Beta-keto-N-methyl-3,4-benzodioxypolybutanamine (butylone); N,N-
26 dimethylcathinone (metamfepramone); Alpha-pyrrolidinopropiophenone (alpha-
27 PPP); 4-methoxy-alpha-pyrrolidinopropiophenone (MOPPP); 3,4-
28 methylenedioxyalphapyrrolidinopropiophenone (MDPPP); Alpha-
29 pyrrolidinovalerophenone (alpha-PVP); 3-fluoromethcathinone; 4N-Methyl-alpha-
30 pyrrolidinobutiophenone (MPBP); Methyl- α -pyrrolidinopropiophenone (MPPP);
31 Methyl- α -pyrrolidino-hexanophenone (MPHP); Buphedrone; Methyl-N-
32 ethylcathinone; Pentedrone; Dimethylmethcathinone (DMMC);
33 Dimethylethcathinone (DMEC); Methylenedioxy-methcathinone (MDMC);
34 Pentylone; Ethylethcathinone; Ethylmethcathinone; Fluoroethcathinone; methyl-
35 alpha-pyrrolidinobutiophenone (MPBP); Methylecathinone (MEC); Methylenedioxy-

- 1 alpha-pyrrolidinobutiophenone (MDPBP); Methoxymethcathinone (MOMC);
2 Methylbuphedrone (MBP); Benzedrone (4-MBC); Dibutylone (DMBDB);
3 Dimethylone (MDDMA); Diethylcathinone; Eutylone (EBDB); N-ethyl-N-
4 Methylcathinone; N-ethylbuphedrone, 1-(1,3-benzodioxol-5-yl)-2-
5 (ethylamino)pentan-1-one (N-Ethylpentylone); 4'-Methyl-alpha-
6 pyrrolidinopropiophenone (4-MEPPP, MPPP or MaPPP); alpha-
7 Pyrrolidinobutiophenone (α-PBP); 1-(1,3-benzodioxol-5-yl)-2-(tert-
8 butylamino)propan-1-one (Tertylone); 1-(1,3-benzodioxol-5-yl)-2-
9 (ethylamino)hexan-1-one (N-ethyl Hexylone); 1-(1,3-benzodioxol-5-yl)-2-
10 (methylamino)pentan-1-one (Pentylone); N-ethylhexedrone (α
11 ethylaminohexanophenone); alpha-pyrrolidinohexanophenone (α-PHP); 4-methyl-
12 alpha-ethylaminopentiophenone (4-MEAP); 4'-methyl-alpha-
13 pyrrolidinohexiophenone (MPHP); alpha-pyrrolidinoheptaphenone (PV8); 4'-
14 chloro-alpha-pyrrolidinovalerophenone (4-chloro-α-PVP); Alpha-PIHP (4-methyl-
15 1-phenyl-2-(pyrrolidin-1-yl)pentan-1-one;
- 16 (39) 2,5-Dimethoxy-4-ethylamphetamine (DOET);
17 (40) Alpha-ethyltryptamine;
18 (41) 4-Bromo-2,5-dimethoxy phenethylamine;
19 (42) 2,5-dimethoxy-4-(n)-propylthiophenethylamine (2C-T-7);
20 (43) 1-(3-trifluoromethylphenyl) piperazine (TFMPP);
21 (44) Alpha-methyltryptamine (AMT);
22 (45) 5-methoxy-N,N-diisopropyltryptamine (5-MeO-DIPT);
23 (46) 5-methoxy-N,N-dimethyltryptamine (5-MeO-DMT);
24 (47) Synthetic cannabinoids. Any material, compound, mixture, or preparation that is
25 not listed as a controlled substance in another schedule, is not an FDA-approved
26 drug, and contains any quantity of the following substances, their salts, isomers
27 (whether optical, positional, or geometric), homologues, modifications of the indole
28 ring by nitrogen heterocyclic analog substitution or nitrogen heterocyclic analog
29 substitution of the phenyl, benzyl, naphthyl, adamantly, cyclopropyl, cumyl, or
30 propionaldehyde structure, and salts of isomers, homologues, and modifications,
31 unless specifically excepted, whenever the existence of these salts, isomers,
32 homologues, modifications, and salts of isomers, homologues, and modifications is
33 possible within the specific chemical designation:
- 34 (a) Naphthoylindoles. Any compound containing a 2-(1-naphthoyl)indole or 3-
35 (1-naphthoyl)indole structure with substitution at the nitrogen atom of the

1 indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,
2 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, cyanoalkyl, 1-
3 (N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl,
4 (tetrahydropyran-4-yl)methyl, benzyl, or halobenzyl group, whether or not
5 further substituted on the indole ring to any extent and whether or not
6 substituted on the naphthyl ring to any extent.

7 Some trade or other names: JWH-015; 1-pentyl-3-(1-naphthoyl)indole
8 (JWH-018); 1-hexyl-3-(1-naphthoyl)indole (JWH-019); 1-butyl-3-(1-
9 naphthoyl)indole (JWH-073); 1-pentyl-3-[1-(4-methoxynaphthoyl)]indole
10 (JWH-081); 1-pentyl-3-(4-methyl-1-naphthoyl)indole (JWH-122); 1-[2-(4-
11 morpholinyl)ethyl]-3-(1-naphthoyl)indole (JWH-200); JWH-210; JWH-398;
12 1-pentyl-3-(1-naphthoyl)indole (AM-678); 1-(5-fluoropentyl)-3-(1-
13 naphthoyl)indole (AM-2201); WIN 55-212; JWH-004; JWH-007; JWH-009;
14 JWH-011; JWH-016; JWH-020; JWH-022; JWH-046; JWH-047; JWH-048;
15 JWH-049; JWH-050; JWH-070; JWH-071; JWH-072; JWH-076; JWH-079;
16 JWH-080; JWH-082; JWH-094; JWH-096; JWH-098; JWH-116; JWH-120;
17 JWH-148; JWH-149; JWH-164; JWH-166; JWH-180; JWH-181; JWH-182;
18 JWH-189; JWH-193; JWH-198; JWH-211; JWH-212; JWH-213; JWH-234;
19 JWH-235; JWH-236; JWH-239; JWH-240; JWH-241; JWH-258; JWH-262;
20 JWH-386; JWH-387; JWH-394; JWH-395; JWH-397; JWH-399; JWH-400;
21 JWH-412; JWH-413; JWH-414; JWH-415; JWH-424; AM-678; AM-1220;
22 AM-1221; AM-1235; AM-2232, THJ-2201;

23 (b) Naphthylmethylindoles. Any compound containing a 1H-indol-2-yl-(1-
24 naphthyl)methane or 1H-indol-3-yl-(1-naphthyl)methane structure with
25 substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl,
26 alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-
27 piperidinyl)methyl, 2-(4-morpholinyl)ethyl, cyanoalkyl, 1-(N-methyl-2-
28 pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, (tetrahydropyran-
29 4-yl)methyl, benzyl, or halobenzyl group, whether or not further substituted
30 on the indole ring to any extent and whether or not substituted on the
31 naphthyl ring to any extent.

32 Some trade or other names: JWH-175; JWH-184; JWH-185; JWH-192;
33 JWH-194; JWH-195; JWH-196; JWH-197; JWH-199;

34 (c) Phenylacetylindoles. Any compound containing a 2-phenylacetylindole or 3-
35 phenylacetylindole structure with substitution at the nitrogen atom of the

1 indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,
2 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, cyanoalkyl, 1-
3 (N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl,
4 (tetrahydropyran-4-yl)methyl, benzyl, or halobenzyl group, whether or not
5 further substituted on the indole ring to any extent and whether or not
6 substituted on the phenyl ring to any extent.

7 Some trade or other names: 1-cyclohexylethyl-3-(2-
8 methoxyphenylacetyl)indole (SR-18); 1-cyclohexylethyl-3-(2-
9 methoxyphenylacetyl)indole (RCS-8); 1-pentyl-3-(2-
10 methoxyphenylacetyl)indole (JWH-250); 1-pentyl-3-(2-
11 chlorophenylacetyl)indole (JWH-203); JWH-167; JWH-201; JWH-202; JWH-
12 204; JWH-205; JWH-206; JWH-207; JWH-208; JWH-209; JWH-237; JWH-
13 248; JWH-249; JWH-251; JWH-253; JWH-302; JWH-303; JWH-304; JWH-
14 305; JWH-306; JWH-311; JWH-312; JWH-313; JWH-314; JWH-315; JWH-
15 316; Cannabipiperidiethanone;

- 16 (d) Benzoylindoles. Any compound containing a 2-(benzoyl)indole or 3-
17 (benzoyl)indole structure with substitution at the nitrogen atom of the
18 indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,
19 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl, cyanoalkyl, 1-
20 (N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl,
21 (tetrahydropyran-4-yl)methyl, benzyl, or halobenzyl group, whether or not
22 further substituted on the indole ring to any extent and whether or not
23 substituted on the phenyl ring to any extent.

24 Some trade or other names: 1-(5-fluoropentyl)-3-(2-iodobenzoyl)indole
25 (AM-694); 1-pentyl-3-[(4-methoxy)-benzoyl]indole (SR-19); Pravadoline
26 (WIN 48,098); 1-pentyl-3-[(4-methoxy)-benzoyl]indole (RCS-4); AM-630;
27 AM-661; AM-2233; AM-1241;

- 28 (e) Naphthoylpyrroles. Any compound containing a 2-(1-naphthoyl)pyrrole or 3-
29 (1-naphthoyl)pyrrole structure with substitution at the nitrogen atom of the
30 pyrrole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl,
31 cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-morpholinyl)ethyl,
32 cyanoalkyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-
33 morpholinyl)methyl, (tetrahydropyran-4-yl)methyl, benzyl, or halobenzyl
34 group, whether or not further substituted on the pyrrole ring to any extent
35 and whether or not substituted on the naphthyl ring to any extent.

- 1 Some trade or other names: JWH-307; JWH-030; JWH-031; JWH-145;
2 JWH-146; JWH-147; JWH-150; JWH-156; JWH-242; JWH-243; JWH-244;
3 JWH-245; JWH-246; JWH-292; JWH-293; JWH-308; JWH-309; JWH-346;
4 JWH-348; JWH-363; JWH-364; JWH-365; JWH-367; JWH-368; JWH-369;
5 JWH-370; JWH-371; JWH-373; JWH-392;
- 6 (f) Naphthylmethylindenes. Any compound containing a naphthylideneindene
7 structure with substitution at the 3-position of the indene ring by an alkyl,
8 haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-
9 piperidinyl)methyl, 2-(4-morpholinyl)ethyl, cyanoalkyl, 1-(N-methyl-2-
10 pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, (tetrahydropyran-
11 4-yl)methyl, benzyl, or halobenzyl group, whether or not further substituted
12 on the indene ring to any extent and whether or not substituted on the
13 naphthyl ring to any extent.
14 Some trade or other names: JWH-171; JWH-176; JWH-220;
- 15 (g) Cyclohexylphenols. Any compound containing a 2-(3-
16 hydroxycyclohexyl)phenol structure with substitution at the 5-position of
17 the phenolic ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl,
18 cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-
19 morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-
20 morpholinyl)methyl, (tetrahydropyran-4-yl)methyl, benzyl, or halobenzyl
21 group, whether or not substituted on the cyclohexyl ring to any extent.
22 Some trade or other names: 5-(1,1-dimethylheptyl)-2-[(1R,3S)-3-
23 hydroxycyclohexyl]-phenol (CP 47, 497 and homologues, which includes
24 C8); cannabicyclohexanol; CP-55,490; CP-55,940; CP-56,667;
- 25 (h) (6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)
26 6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol. Some trade or other names:
27 HU-210;
- 28 (i) 2,3-Dihydro-5-methyl-3-(4-morpholinylmethyl)pyrrolo[1,2,3-de]-1,4-
29 benzoxazin-6-yl]-1-naphthalenyl. Some trade or other names: WIN 55, 212-
30 2;
- 31 (j) Substituted Acetylintoles. Any compound containing a 2-acetyl indole or 3-
32 acetyl indole structure substituted at the acetyl by replacement of the
33 methyl group with a tetramethylcyclopropyl, adamantyl, benzyl, cumyl, or
34 propionaldehyde substituent whether or not further substituted on the
35 tetramethylcyclopropyl, adamantyl, benzyl, cumyl, or propionaldehyde

1 substituent to any extent and whether or not further substituted at the
2 nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl,
3 cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-
4 morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-
5 morpholinyl)methyl, (tetrahydropyran-4-yl)methyl, benzyl, or halobenzyl
6 group whether or not further substituted on the indole ring to any extent.
7 Some trade and other names: (1-Pentylindol-3-yl)-(2,2,3,3-
8 tetramethylcyclopropyl)methanone (UR-144); (1-(5-fluoropentyl)indol-3-
9 yl)-(2,2,3,3-tetramethylcyclopropyl)methanone (XLR-11); (1-(2-
10 morpholin-4-ylethyl)-1H-indol-3-yl)-(2,2,3,3-
11 tetramethylcyclopropyl)methanone (A-796,260); 1-[(N-methylpiperidin-2-
12 yl)methyl]-3-(adamant-1-yl)indole (AM-1248); 1-Pentyl-3-(1-
13 adamantoyl)indole (AB-001 and JWH-018 adamantyl analog); AM-679; (1-
14 (4-fluorobenzyl)-1H-indol-3-yl)(2,2,3,3-
15 tetramethylcyclopropyl)methanone (FUB-144);

- 16 (k) Substituted Carboxamide Indole. Any compound containing a 2-carboxamide
17 indole or 3-carboxamide indole structure substituted at the nitrogen of the
18 carboxamide with a tetramethylcyclopropyl, naphthyl, adamantyl, cumyl,
19 phenyl, or propionaldehyde substituent, whether or not further substituted
20 on the tetramethylcyclopropyl, adamantyl, cumyl, naphthyl, phenyl, or
21 propionaldehyde substituent to any extent and whether or not further
22 substituted at the nitrogen atom of the indole ring by an alkyl, haloalkyl,
23 cyanoalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-
24 piperidinyl)methyl, 2-(4-morpholinyl)ethyl, 1-(N-methyl-2-
25 pyrrolidinyl)methyl, 1-(N-methyl-3-morpholinyl)methyl, (tetrahydropyran-
26 4-yl)methyl, benzyl, or halobenzyl group whether or not further substituted
27 on the indole ring to any extent.

28 Some trade and other names: JWH-018 adamantyl carboxamide; STS-135;
29 MN-18; 5-Fluoro-MN-18, 1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-1H-
30 pyrrolo[2,3-b]pyridine-3-carboxamide (5F-CUMYL-P7AICA) ; N-
31 (Adamantan-1-yl)-1-(5-fluoropentyl)-1H-indazole-3-carboxamide (5F-
32 APINACA); methyl (2R)-2-[[1-(5-fluoropentyl)indazole-3-carbonyl]amino]-
33 3,3-dimethylbutanoate (5F-ADB); N-(1-amino-3-methyl-1-oxobutan-2-yl)-
34 1-(cyclohexylmethyl)indazole-3-carboxamide (AB-CHMINACA); 1-(4-
35 cyanobutyl)-N-(2-phenylpropan-2-yl)-1H-indazole-3-carboxamide (4-CN-

- 1 CUMYL-BUTINACA); N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-
 2 (cyclohexylmethyl)indazole-3-carboxamide (ADB-CHMINACA or MAB-
 3 CHMINACA); methyl (2S)-2-[[1-[4-fluorophenyl)methyl]indazole-3-
 4 carbonyl]amino]-3,3-dimethylbutanoate (MDMB-FUBINACA); methyl 2-(1-
 5 (cyclohexylmethyl)-1H-indole-3-carboxamido)-3-methylbutanoate (MMB-
 6 CHMICA); methyl (2S)-2-[[1-[4-fluorophenyl)methyl]indazole-3-
 7 carbonyl]amino]-3-methylbutanoate (AMB-FUBINACA); Methyl 2-(1-(5-
 8 fluoropentyl)-1H-indazole-3-carboxamido)-3-methylbutanoate (5F-AMB);
 9 methyl 2-(1-(5-fluoropentyl)-1H-indole-3-carboxamido)-3,3-
 10 dimethylbutanoate (5F-MDMB-PICA); methyl (S)-3,3-dimethyl-2-[(1-(pent-
 11 4-enylindazole-3-carbonyl)amino]butanoate (MDMB-4en-PINACA); methyl
 12 2-(1-(4-fluorobutyl)-1H-indazole-3-carboxamido)-3,3-dimethylbutanoate
 13 (4F-MDMB-BUTINACA); Ethyl 2-(1-(5-fluoropentyl)-1H-indazole-3-
 14 carboxamido)-3,3-dimethylbutanoate (5F-EDMB-PINACA); Methyl 2-(1-(5-
 15 fluoropentyl)-1H-indole-3-carboxamido)-3,3-dimethylbutanoate S(5F-
 16 MDMB-PICA); N-(adamantan-1-yl)-1-(4-fluorobenzyl)-1H-indazole-3-
 17 carboxamide (FUB-APINACA); 1-(5-fluoropentyl)-N-(2-phenylpropan-2-yl)-
 18 1H-indazole-3-carboxamide (5F-CUMYL-PINACA); and
- 19 (I) Substituted Carboxylic Acid Indole. Any compound containing a 1H-indole-2-
 20 carboxylic acid or 1H-indole-3-carboxylic acid substituted at the hydroxyl
 21 group of the carboxylic acid with a phenyl, benzyl, naphthyl, adamantyl,
 22 cyclopropyl, quinolinyl, isquinolinyl, cumyl, or propionaldehyde substituent
 23 whether or not further substituted on the phenyl, benzyl, naphthyl,
 24 adamantyl, cyclopropyl, cumyl, quinolinyl, isquinolinyl, or propionaldehyde
 25 substituent to any extent and whether or not further substituted at the
 26 nitrogen atom of the indole ring by an alkyl, haloalkyl, cyanoalkyl, alkenyl,
 27 cycloalkylmethyl, cycloalkylethyl, 1-(N-methyl-2-piperidinyl)methyl, 2-(4-
 28 morpholinyl)ethyl, 1-(N-methyl-2-pyrrolidinyl)methyl, 1-(N-methyl-3-
 29 morpholinyl)methyl, tetrahydropyranylmethyl, benzyl, or halo benzyl group
 30 whether or not further substituted on the indole ring to any extent.
 31 Some trade and other names: Naphthalen-1-yl 1-(5-fluoropentyl)-1H-indole-
 32 3-carboxylate (NM2201);
- 33 (48) 6,7-dihydro-5H-indeno-(5,6-d)-1,3-dioxol-6-amine (MDAI);
 34 (49) 2-(2,5-Dimethoxy-4-ethylphenyl)ethanamine (2C-E);
 35 (50) 2-(2,5-Dimethoxy-4-methylphenyl)ethanamine (2C-D);

- 1 (51) 2-(4-Chloro-2,5-dimethoxyphenyl)ethanamine (2C-C);
2 (52) 2-(4-Iodo-2,5-dimethoxyphenyl)ethanamine (2C-I);
3 (53) 2-[4-(Ethylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-2);
4 (54) 2-[4-(Isopropylthio)-2,5-dimethoxyphenyl]ethanamine (2C-T-4);
5 (55) 2-(2,5-Dimethoxyphenyl)ethanamine (2C-H);
6 (56) 2-(2,5-Dimethoxy-4-nitro-phenyl)ethanamine (2C-N);
7 (57) 2-(2,5-Dimethoxy-4-(n)-propylphenyl)ethanamine (2C-P);
8 (58) Substituted phenethylamine. Any compound, unless specifically exempt, listed as a
9 controlled substance in another schedule or an approved FDA drug, structurally
10 derived from phenylethan-2-amine by substitution on the phenyl ring in any of the
11 following ways: by substitution with a fused methylenedioxy, fused furan, or fused
12 tetrahydrofuran ring system; by substitution with two alkoxy groups; by
13 substitution with one alkoxy and either one fused furan, tetrahydrofuran, or
14 tetrahydropyran ring system; by substitution with two fused ring systems from any
15 combination of the furan, tetrahydrofuran, or tetrahydropyran ring systems;
16 whether or not the compound is further modified in any of the following ways:
17 (a) By substitution on the phenyl ring by any halo, hydroxyl, alkyl,
18 trifluoromethyl, alkoxy, or alkylthio groups;
19 (b) By substitution on the 2-position by any alkyl groups; or
20 (c) By substitution on the 2-amino nitrogen atom with acetyl, alkyl, dialkyl,
21 benzyl, methoxybenzyl, or hydroxybenzyl groups.
- 22 Some trade and other names: 2-(2,5-dimethoxy-4-
23 (methylthio)phenyl)ethanamine (2C-T or 4-methylthio-2,5-
24 dimethoxyphenethylamine); 1-(2,5-dimethoxy-4-iodophenyl)-propan-2-amine
25 (DOI or 2, 5-Dimethoxy-4-iodoamphetamine); 1-(4-Bromo-2,5-
26 dimethoxyphenyl)-2-aminopropane (DOB or 2,5-Dimethoxy-4-
27 bromoamphetamine); 1-(4-chloro-2,5-dimethoxy-phenyl)propan-2-amine (DOC
28 or 2,5-Dimethoxy-4-chloroamphetamine); 2-(4-bromo-2,5-dimethoxyphenyl)-N-
29 [(2-methoxyphenyl)methyl]ethanamine (2C-B-NBOMe; 25B-NBOMe or 2,5-
30 Dimethoxy-4-bromo-N-(2-methoxybenzyl)phenethylamine); 2-4-iodo-2,5-
31 dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine (2C-I-NBOMe; 25I-
32 NBOMe or 2,5-Dimethoxy-4-iodo-N-(2-methoxybenzyl)phenethylamine); N-(2-
33 Methoxybenzyl)-2-(3,4,5-trimethoxyphenyl)phenethylamine (Mescaline-NBOMe or 3,4,5-
34 trimethoxy-(2-methoxybenzyl)phenethylamine); 2-(4-chloro-2,5-
35 dimethoxyphenyl)-N-[(2-methoxyphenyl)methyl]ethanamine (2C-C-NBOMe; 25C-

- 1 NBOMe or 2,5-Dimethoxy-4-chloro-N-(2-methoxybenzyl)phenethylamine); 2-(7-
2 Bromo-5-methoxy-2,3-dihydro-1-benzofuran-4-yl)ethanamine (2CB-5-hemiFLY);
3 2-(8-bromo-2,3,6,7-tetrahydrofuro [2,3-f][1]benzofuran-4-yl)ethanamine (2C-B-
4 FLY); 2-(10-Bromo-2,3,4,7,8,9-hexahydropyrano[2,3-g]chromen-5-
5 yl)ethanamine (2C-B-butterFLY); -(2-Methoxybenzyl)-1-(8-bromo-2,3,6,7-
6 tetrahydrobenzo[1,2-b:4,5-bN]difuran-4-yl)-2-aminoethane (2C-B-FLY-NBOMe);
7 1-(4-Bromofuro[2,3-f][1]benzofuran-8-yl)propan-2-amine (bromo-
8 benzodifuranyl-isopropylamine or bromo-dragonFLY); -(2-Hydroxybenzyl)-4-iodo-
9 2,5-dimethoxyphenethylamine (2C-I-NBOH or 25I-NBOH); 5-(2-
10 Aminopropyl)benzofuran (5-APB); 6(2-Aminopropyl)benzofuran (6-APB); 5-(2-
11 Aminopropyl)-2,3-dihydrobenzofuran (5-APDB); 6-(2-Aminopropyl)-2,3,-
12 dihydrobenzofuran (6-APDB); para-methoxymethamphetamine (PMMA);
- 13 (59) Substituted tryptamines. Any compound, unless specifically exempt, listed as a
14 controlled substance in another schedule or an approved FDA drug, structurally
15 derived from 2-(1H-indol-3-yl)ethanamine by mono- or di-substitution of the
16 amine nitrogen with alkyl or alkenyl groups or by inclusion of the amino nitrogen
17 atom in a cyclic structure whether or not the compound is further substituted at
18 the alpha-position with an alkyl group or whether or not further substituted on the
19 indole ring to any extent with any alkyl, alkoxy, halo, hydroxyl, or acetoxy groups.
20 Some trade and other names: 5-methoxy-N,N-diallyltryptamine (5-MeO-DALT); 4-
21 acetoxy-N,N-dimethyltryptamine (4-AcO-DMT or O-Acetylpsilocin); 4-hydroxy-N-
22 methyl-N-ethyltryptamine (4-HO-MET); 4-hydroxy-N,N-diisopropyltryptamine (4-
23 HO-DIPT); 5-methoxy-N-methyl-N-isopropyltryptamine (5-MeO-MiPT);
- 24 (60) Naphthalen-1-yl-(4-pentyloxynaphthalen-1-yl)methanone (CB-13);
- 25 (61) N-Adamantyl-1-pentyl-1H-Indazole-3-carboxamide (AKB 48);
- 26 (62) 1-(4-Fluorophenyl)piperazine (pFPP);
- 27 (63) 1-(3-Chlorophenyl)piperazine (mCPP);
- 28 (64) 1-(4-Methoxyphenyl)piperazine (pMeOPP);
- 29 (65) 1,4-Dibenzylpiperazine (DBP);
- 30 (66) Isopentadrone;
- 31 (67) Fluoromethamphetamine;
- 32 (68) Fluoroamphetamine;
- 33 (69) Fluorococaine;
- 34 (70) 1-pentyl-8-quinolinyl ester-1H-indole-3-carboxylic acid (PB-22);
- 35 (71) 1-(5-fluoropentyl)-8-quinolinyl ester-1H-indole-3-carboxylic acid (5 Fluoro-PB-22);

- 1 (72) N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-pentyl-1H-indazole-3-carboxamide (AB-
2 PINACA);
- 3 (73) N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indazole-3-
4 carboxamide (5 Fluoro-AB-PINACA);
- 5 (74) N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indazole-3-
6 carboxamide (AB-FUBINACA);
- 7 (75) N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-pentyl-1H-indole-3-carboxamide
8 (ADB-PINACA (ADBICA));
- 9 (76) N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1H-indole-3-
10 carboxamide (5 Fluoro-ADB-PINACA (5 Fluoro-ADBICA));
- 11 (77) N-(1-Amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indazole-3-
12 carboxamide (ADB-FUBINACA);
- 13 (78) N-(1-carbamoyl-2-methyl-propyl)-2-(5-fluoropentyl)-5-(4-fluorophenyl)pyrazole-
14 3-carboxamide (5-Fluoro-3,5-AB-PFUPPYCA); and
- 15 (79) 2-(ethylamino)-2-(3-methoxyphenyl)cyclohexan-1-one (methoxetamine).

16 **Section 2. That § 34-20B-25 be AMENDED:**

17 **34-20B-25.** The following are included in Schedule IV:

- 18 (1) Chlordiazepoxide, but not including librax (chlordiazepoxide hydrochloride and
19 clindinium bromide) or menrium (chlordiazepoxide and water soluble esterified
20 estrogens);
- 21 (2) Clonazepam;
- 22 (3) Clorazepate;
- 23 (4) Diazepam;
- 24 (5) Flunitrazepam;
- 25 (6) Flurazepam;
- 26 (7) Mebutamate;
- 27 (8) Oxazepam;
- 28 (9) Prazepam;
- 29 (10) Lorazepam;
- 30 (11) Triazolam;
- 31 (12) Any substance that contains any quantity of a benzodiazepine, or salt of
32 benzodiazepine, except substances that are specifically listed in other schedules;
- 33 (13) Alprazolam;
- 34 (14) Midazolam;

- 1 (15) Temazepam;
- 2 (16) Cathine;
- 3 (17) Fencamfamine;
- 4 (18) Fenproporex;
- 5 (19) Mefenorex;
- 6 (20) Pyrovalerone;
- 7 (21) Propoxyphene;
- 8 (22) Pentazocine;
- 9 (23) Diethylpropion;
- 10 (24) Ethchlorvynol;
- 11 (25) Ethinamate;
- 12 (26) Mazindol;
- 13 (27) Mephobarbital;
- 14 (28) Methohexitol;
- 15 (29) Paraldehyde;
- 16 (30) Pemoline;
- 17 (31) Petrichloral;
- 18 (32) Phentermine;
- 19 (33) Barbital;
- 20 (34) Phenobarbital;
- 21 (35) Meprobamate;
- 22 (36) Zolpidem;
- 23 (37) Butorphanol;
- 24 (38) Modafinil, including its salts, isomers, and salts of isomers;
- 25 (39) Sibutramine;
- 26 (40) Zaleplon;
- 27 (41) Dichloralphenazone;
- 28 (42) Zopiclone, also known as eszopiclone, including its salts, isomers, and salts of
- 29 isomers;
- 30 (43) Pregabalin;
- 31 (44) Lacosamide;
- 32 (45) Fospropofol, including its salts, isomers, and salts of isomers;
- 33 (46) Clobazam;
- 34 (47) Carisoprodol, including its salts, isomers, and salts of isomers;

- 1 (48) Ezogabine,[-[2-amino-4-(4-fluorobenzylamino)-phenyl]-carbamic acid ethyl ester],
2 including its salts, isomers, and salts of isomers;
- 3 (49) Lorcaseerin, any material, compound, mixture, or preparation that contains any
4 quantity of the following substances, including its salts, isomers, and salts of
5 isomers, whenever the existence of such salts, isomers, and salts of isomers is
6 possible;
- 7 (50) Alfaxalone, 5[alpha]-pregnan-3[alpha]-ol-11,20-dione, including its salts, isomers,
8 and salts of isomers;
- 9 (51) Tramadol, 2-[(dimethylamino)methyl]-1-(3-methoxyphenyl)cyclohexanol, its salts,
10 optical and geometric isomers and salts of these isomers;
- 11 (52) Suvorexant, including its salts, isomers, and salts of isomers;
- 12 (53) Eluxadoline,(5-[[[(2S)-2-amino-3-[4-aminocarbonyl]-2,6-dimethylphenyl]-1-
13 oxopropyl][[(1S)-1-(4-phenyl-1H-imidazol-2-yl)ethyl]amino]methyl]-2-
14 methoxybenzoic acid) including its optical isomers and its salts, isomers, and salts
15 of isomers;
- 16 (54) Brivaracetam;
- 17 (55) Solriamfetol (2-amino-3-phenylpropyl carbamate; benzenepropanol, beta-amino-,
18 carbamate (ester)), including its salts, isomers, and salts of isomers whenever the
19 existence of the salts, isomers, and salts of isomers is possible;
- 20 (56) Brexanolone, (3[alpha]-hydroxy-5[alpha]-pregnan-20-one), including its salts,
21 isomers, and salts of isomers whenever the existence of the salts, isomers, and
22 salts of isomers is possible;
- 23 (57) Cenobamate ([[1R)-1-(2-chlorophenyl)-2-(tetrazol-2-yl)ethyl] carbamate; 2H-
24 tetrazole-2-ethanol, alpha-(2-chlorophenyl)-, carbamate (ester), (alphaR)-;
25 carbamic acid (R)-(+)-1-(2-chlorophenyl)-2-(2H-tetrazol-2-yl)ethyl ester);
- 26 (58) Lasmiditan [2,4,6-trifluoro-N-(6-(1-methylpiperidine-4-carbonyl)pyridine-2-yl)-
27 benzamide];
- 28 (59) Lemborexant, including its salts, isomers, and salts of isomers;
- 29 (60) Remimazolam;
- 30 (61) Serdexmethylphenidate, including its salts, isomers, and salts of isomers;
- 31 (62) Daridorexant, including its salts, isomers, and salts of isomers;
- 32 (63) Ganaxolone, including its salts;
- 33 (64) Zuranolone; and
- 34 (65) The pharmaceutical composition of crystalline polymorph psilocybin in a drug
35 product approved by the United States Food and Drug Administration.