2020 South Dakota Legislature

739

House Bill 1240

AMENDMENT 1240A FOR THE INTRODUCED BILL

1	An Act to	provide f	for the in:	spection	of certain	swimmina	pools	and beache

- 2 BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF SOUTH DAKOTA:
- 3 **Section 1.** That a NEW SECTION be added:

6 7

8

9

10 11

12

13

14

15

16

17

18 19

20

21

22

23

24

25

4	34A-2-127. Public	swimming	poolsWater	quality	Requirements
5	Exceptions.				

The owner of a public swimming pool, during the period the pool is in operation, shall:

- (1) At least once each day verify the water clarity by determining whether a black disc, six inches in diameter and located in the deepest portion of the pool, is visible from the deck of the pool;
- (2) At least once each day verify through a colorimetric test kit that the disinfectant levels and total acid-alkalinity balance of the water are within acceptable limits established by the Department of Environment and Natural Resources;
- (3) Upon completing each activity required by subdivisions (1) and (2), record the activity and the results on a form provided by the department; and
- (4) At least once every seven days, at the owner's expense, submit a water sample from the pool to a laboratory approved by the department for a bacteriological analysis to verify the absence of total coliform bacteria and pseudomonas aeruginosa.

If the water clarity standard provided in subdivision (1) is not satisfied, or if a water sample provided under subdivision (4) tests positive for either total coliform bacteria or pseudomonas aeruginosa, the owner shall immediately close the pool to the public. The owner may reopen the pool after satisfying the clarity standard of subdivision (1) and having the laboratory that conducted the bacteriological analysis under subdivision (4) certify the absence of total coliform bacteria and pseudomonas aeruginosa.

1	This section does not apply to a public swimming pool regulated by the Department
2	of Health.
3	For purposes of this section, the term, public swimming pool, does not include a
4	swimming pool in a condominium project established under chapter 43-15A or a swimming
5	pool in an apartment complex.
_	
6	Section 2. That a NEW SECTION be added:
7	34A-2-128. Public beachesWater qualityRequirementsPublic beach
8	defined.
9	The operator of a public beach, for the months of June through September, shall
10	at least once every seven days submit a water sample from the beach to a laboratory
11	approved by the Department of Environment and Natural Resources for a bacteriological
12	analysis to verify acceptable levels of fecal coliform and report the results on a form
13	provided by the department. Fecal coliform levels are unacceptable if:
14	(1) Any two consecutive samples submitted under this section exceed three hundred
15	fecal coliform per one hundred milliliters;
16	(2) Any three consecutive samples exceed two hundred fecal coliform per one hundred
17	milliliters; and
18	(3) Any single sample exceeds one thousand fecal coliform per one hundred milliliters.
19	If the fecal coliform levels are unacceptable, then the operator of the beach shall
20	immediately post a sign stating "Beach Closed-Unsafe for Swimming." The operator may
21	remove the sign upon a subsequent bacteriological analysis conducted under this section
22	showing a fecal coliform level not exceeding two hundred fecal coliform per one hundred
23	milliliters.
24	For purposes of this section, the term, public beach, means an area of an open
25	body of water, including a lake or river, specifically designated or zoned for public
26	swimming by the department of game, fish and parks, other political subdivision of the
27	state, or a federal agency.
28	Section 3. That a NEW SECTION be added:
29	34A-2-129. Promulgation of rules.
30	The Department of Environment and Natural Resources shall promulgate rules,
31	pursuant to chapter 1-26, to:
32	(1) Identify the laboratories that are approved to conduct a bacteriological analysis for

purposes of testing the water quality of a public swimming pool and a public beach;

33

1	(2)	Establish standards for conducting and reporting the results of a bacteriological
2		analysis for purposes of testing the water quality of a public swimming pool and a
3		public beach;
4	<u>(3)</u>	Establish the disinfectant levels and total acid-alkalinity balance that is acceptable
5		for a public swimming pool;
6	<u>(4)</u>	Prescribe the forms for reporting the water quality testing activities for a public
7		swimming pool and a public beach; and
8	<u>(5)</u>	Establish the time and manner in which the water quality testing activities for a
9		public swimming pool and a public beach must be reported.
10		The rules promulgated under this section do not apply to a public swimming pool
11	<u>regula</u>	ated by the Department of Health, a public swimming pool in a condominium project
12	<u>estab</u>	lished under chapter 43-15A, or a public swimming pool in an apartment complex.